

Bicycle Inspection Sheet

Inspection Date: 21 December 2002

Bicycle:

Type: 21 Speed Men's Hardtail Cross-Country Mountain Bicycle

Manufacturer: **Diamondback**

Model: Apex

Weight: 29.9 Pounds

Frame:

Model: 1992 Diamondback Apex

Style: Men's Hardtail XC (Cross-Country) Mountain Bicycle

Size: 18 inches

Tubing Diameter and Material: 0.66 to 1.51 inch chromoly double-buttet

Dimensions (inches):

Overall Length	68.00
Wheel Base	42.00
Seat Tube Length	18.00
Top Tube Length	23.00
Top Tube Height	29.50
Down Tube Length	25.00
Bottom Bracket (Center of Crank) Height	11.50
Head Tube Length	4.50
Chain Stay Length	17.00
Seat Stay Length	20.00
Hub Height	12.50
Seat Height	38.50
Stem (Handlebar) Height	36.50
Stem Extension	5.00
Lever Height	35.00
Pedal Height (High)	19.00
Pedal Height (Low)	5.00

Forks:

Manufacturer: Diamondback Unitrac CRMO System
Type: **Rigid** Suspension

Diameter and Material: 1.15 inch chromoly
Blade condition: slightly chipped
Column condition: No visible damage

Rear Suspension: None

Tubing Condition:

Overall: Good
Right Fork Blade: Lightly chipped
Left Fork Blade: Lightly chipped
Fork Column: Good
Head Tube: Good
Top Tube: Lightly chipped
Down Tube: Lightly chipped
Seat Tube: Lightly chipped
Right Chain Stay: Lightly chipped
Left Chain Stay: Lightly chipped
Right Seat Stay: Lightly chipped
Left Seat Stay: Lightly chipped

Steering:

Stem: Tioga Avenger
Condition: New Good Poor Rusted/Corroded **Chipped**

Handlebar: Avenir
Width: 22.5 inches
Condition: New Good Poor Rusted/Corroded **Chipped**

Head Set: Tioga Avenger
Condition: New **Good** Poor Rusted/Corroded Chipped

Handlebar Grips: Diamondback rubber
Condition: New Good Poor **Lightly Torn** Frayed

Saddle:

Manufacturer and Model: Velo Serfas Reactive Gel Dual Density
Condition: New **Good** Poor Lightly Torn

Post:

Manufacturer and Model: Avenir 4120
Condition: New Good Poor Rusted/Corroded **Chipped**

Brakes:

Front Lever: Shimano SLR
Condition: Slightly scraped

Rear Lever: Shimano SLR
Condition: Slightly scraped

Front Brake: Shimano SLR
Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") Disc
Condition: Good

Rear Brake: Shimano SLR
Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") Disc
Condition: Good

Cables/Hoses: Shimano SIS SP
Condition: Good

Wheels:

Front Hub: Shimano Deore DX quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Spokes: Stainless steel, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Rim: Avenir Duro 17 (6061 T6)
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Tire: Panaracer Smoke 26 x 2.10
Condition: 3/32" center tread depth

Front Tube: Not inspected
Condition: Inflated

Rear Hub: Shimano Deore DX quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Spokes: Stainless steel, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Rim: Avenir Duro 17 (6061 T6)
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Tire: Panaracer Smoke 26 x 2.10
Condition: 1/16" center tread depth

Rear Tube: Not inspected
Condition: Inflated

Derailleurs:

Shifters: Shimano Deore DX
Condition: New **Good** Poor Rusted/Corroded Chipped

Cable: Shimano SIS SP
Condition: New **Good** Poor Rusted/Corroded Chipped

Front: Shimano Deore DX
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear: Shimano DX
Condition: New **Good** Poor Rusted/Corroded Chipped

Drive Train:

Crank Set (Front Sprocket): Shimano SG (24-36-46)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Crank Arm: Shimano Deore DX
Condition: New **Good** Poor Rusted/Corroded Chipped

Right Pedal: Avenir cage pedal with toe clip
Condition: New **Good** Poor Rusted/Corroded Scraped

Left Pedal: Avenir cage pedal with toe clip
Condition: New **Good** Poor Rusted/Corroded Scraped

Free Wheel (Rear Sprocket): Shimano? Hyperglide (13-15-17-20-23-26-30)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Chain: SRAM
Condition: **New** Good Poor Rusted/Corroded Scraped
Position: On-teeth

Notes: Good condition for a much-traveled mountain bicycle.

Bicycle Inspection Sheet

Inspection Date: 21 December 2002

Bicycle:

Type: 27 Speed Men's Full Suspension XC (Cross-Country) Mountain Bicycle

Manufacturer: **Ellsworth**

Model: Unknown prototype

Serial Number: None

Weight: 26.6 Pounds

Frame:

Model: 1996

Style: Men's Full Suspension XC (Cross-Country) Mountain Bicycle

Size: 16 inches

Tubing Diameter and Material: 1.39 to 1.65 inch aluminum

Dimensions (inches):

Overall Length	70.00
Wheel Base	44.00
Seat Tube Length	16.00
Top Tube Length	23.00
Top Tube Height	33.00
Down Tube Length	26.00
Bottom Bracket (Center of Crank) Height	13.00
Head Tube Length	4.50
Chain Stay Length	17.00
Seat Stay Length	16.00
Hub Height	13.00
Seat Height	40.00
Stem (Handlebar) Height	38.50
Stem Extension	5.50
Lever Height	37.50
Pedal Height (High)	21.00
Pedal Height (Low)	7.00

Forks:

Manufacturer: Marzocchi Bomber M1
Type: Rigid **Suspension**

Diameter and Material: 1.33 inch chromoly
Blade condition: No visible damage
Column condition: No visible damage

Rear Suspension:

Linkage: Ellsworth
Condition: New **Good** Poor Rusted/Corroded Chipped

Shock:
Condition: New **Good** Poor Rusted/Corroded Chipped

Tubing Condition:

Overall: Good
Right Fork Blade: Lightly chipped
Left Fork Blade: Lightly chipped
Fork Column: Good
Head Tube: Good
Top Tube: Good
Down Tube: Good
Seat Tube: Good
Right Chain Stay: Lightly chipped
Left Chain Stay: Lightly chipped
Right Seat Stay: Good
Left Seat Stay: Good

Steering:

Stem: Kore
Condition: **New** Good Poor Rusted/Corroded Chipped

Handlebar: Easton Carbon Fiber Monkey Lite CT2, with Icon bar-ends
Width: 24.5 inches
Condition: **New** Good Poor Rusted/Corroded Chipped

Head Set: Race Face
Condition: **New** Good Poor Rusted/Corroded Chipped

Handlebar Grips: rubber
Condition: **New** Good Poor Lightly Torn Frayed

Saddle:

Manufacturer and Model: Wilderness Trail Bikes
Condition: New **Good** Poor Lightly Torn

Post:

Manufacturer and Model: Syncros
Condition: New **Good** Poor Rusted/Corroded Chipped

Brakes:

Front Lever: Avid
Condition: Good

Rear Lever: Avid
Condition: Good

Front Brake: Avid Archrival
Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") Disc
Condition: Good

Rear Brake: Avid Archrival
Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") Disc
Condition: Good

Cables/Hoses: Unknown manufacturer
Condition: Good

Wheels:

Front Hub: HüGI DT quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Spokes: Titanium, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Rim: Mavic 117 Ceramic
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Tire: IRC MythosXC 26 x 2.10
Condition: 1/8" center tread depth

Front Tube: Not inspected
Condition: Inflated

Rear Hub: HüGI DT quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Spokes: Titanium, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Rim: Mavic 217 Ceramic
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Tire: IRC MythosXC 26 x 2.10
Condition: 1/8" center tread depth

Rear Tube: Not inspected
Condition: Inflated

Derailleurs:

Shifters: SRAM 9.0 SL Gripshift
Condition: New **Good** Poor Rusted/Corroded Chipped

Cable: Unknown manufacturer
Condition: New **Good** Poor Rusted/Corroded Chipped

Front: Shimano XTR
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear: SRAM Carbon Fiber Composite O/S ESP 9.0 SL
Condition: New **Good** Poor Rusted/Corroded Chipped

Drive Train:

Crank Set (Front Sprocket): Race Face (22-34-46)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Crank Arm: Race Face
Condition: New **Good** Poor Rusted/Corroded Chipped

Right Pedal: Crank Brothers Eggbeaters
Condition: New **Good** Poor Rusted/Corroded Scraped

Left Pedal: Crank Brothers Eggbeaters
Condition: New **Good** Poor Rusted/Corroded Scraped

Free Wheel (Rear Sprocket): Shimano XT (11-13-15-17-20-23-26-30-34)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Chain: Shimano HG

Condition: New **Good** Poor Rusted/Corroded Scraped

Position: On-teeth

Notes: Very good condition.

Bicycle Inspection Sheet

Inspection Date: 21 December 2002

Bicycle:

Type: 27 Speed Men's Softtail Cross-Country Mountain Bicycle

Manufacturer: **KHS**

Model: Team ST

Weight: 25.7 Pounds

Frame:

Model: 2000 KHS

Style: Men's Softtail XC (Cross-Country) Mountain Bicycle

Size: 15 inches

Tubing Diameter and Material: 0.77 to 1.47 inch chromoly double-buttet

Dimensions (inches):

Overall Length	69.00
Wheel Base	42.00
Seat Tube Length	15.00
Top Tube Length	20.00
Top Tube Height	32.50
Down Tube Length	26.00
Bottom Bracket (Center of Crank) Height	12.00
Head Tube Length	4.50
Chain Stay Length	17.00
Seat Stay Length	18.00
Hub Height	13.00
Seat Height	38.25
Stem (Handlebar) Height	37.00
Stem Extension	4.25
Lever Height	35.00
Pedal Height (High)	19.50
Pedal Height (Low)	5.00

Forks:

Manufacturer: Manitou Mars 1 with lockout
Type: Rigid **Suspension**

Diameter and Material: 1.52 inch chromoly
Blade condition: No visible damage
Column condition: No visible damage

Rear Suspension:

Linkage: KHS Stock
Condition: New **Good** Poor Rusted/Corroded Chipped

Shock: KHS Stock
Condition: New **Good** Poor Rusted/Corroded Chipped

Tubing Condition:

Overall: Good
Right Fork Blade: Lightly chipped
Left Fork Blade: Lightly chipped
Fork Column: Good
Head Tube: Good
Top Tube: Good
Down Tube: Lightly chipped
Seat Tube: Good
Right Chain Stay: Lightly chipped
Left Chain Stay: Lightly chipped
Right Seat Stay: Good
Left Seat Stay: Good

Steering:

Stem: KHS Stock
Condition: **New** Good Poor Rusted/Corroded Chipped

Handlebar: Profile Carbon Fiber RS, with Scott bar-ends
Width: 22.5 inches
Condition: **New** Good Poor Rusted/Corroded Chipped

Head Set: Chris King Threadless
Condition: **New** Good Poor Rusted/Corroded Chipped

Handlebar Grips: Yeti rubber
Condition: **New** Good Poor Lightly Torn Frayed

Saddle:

Manufacturer and Model: Vetta TT TriShock
Condition: **New** Good Poor Lightly Torn

Post:

Manufacturer and Model: Control Post
Condition: New **Good** Poor Rusted/Corroded Chipped

Brakes:

Front Lever: Avid SD 2.0L
Condition: Good

Rear Lever: Avid SD 2.0L
Condition: Good

Front Brake: Avid Archrival 50
Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") Disc
Condition: Good

Rear Brake: Avid Archrival 50
Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") Disc
Condition: Good

Cables/Hoses: Unknown manufacturer
Condition: Good

Wheels:

Front Hub: Nuke Proof carbon & chromoly quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Spokes: Stainless steel, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Rim: Mavic SUP 117
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Tire: Team Specialized Dirt Control 26 x 1.90
Condition: 3/32" center tread depth

Front Tube: Not inspected
Condition: Inflated

Rear Hub: Shimano Deore XT Parallax chromoly quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Spokes: Stainless steel, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Rim: Mavic SUP 117
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Tire: Specialized Mt. Baldy 26 x 2.10
Condition: 1/32" center tread depth

Rear Tube: Not inspected
Condition: Inflated

Derailleurs:

Shifters: Shimano XT
Condition: New **Good** Poor Rusted/Corroded Chipped

Cable: Unknown manufacturer
Condition: New **Good** Poor Rusted/Corroded Chipped

Front: Shimano XT
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear: Shimano XTR
Condition: New **Good** Poor Rusted/Corroded Chipped

Drive Train:

Crank Set (Front Sprocket): Shimano Mega Drive Train (22-32-44)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Crank Arm: Shimano Deore XT with SEP USA
Condition: New **Good** Poor Rusted/Corroded Chipped

Right Pedal: Shimano clipless
Condition: New Good Poor Rusted/Corroded **Scraped**

Left Pedal: Shimano clipless
Condition: New Good Poor Rusted/Corroded **Scraped**

Free Wheel (Rear Sprocket): Specialized (11-13-15-17-20-23-26-30-34)
Condition: New Good Poor Rusted/Corroded **Chipped teeth**

Chain: Shimano HG

Condition: New **Good** Poor Rusted/Corroded Scraped

Position: On-teeth

Notes: Very good condition.

Bicycle Inspection Sheet

Inspection Date: 21 December 2002

Bicycle:

Type: 27 Speed Men's Hardtail Cyclocross (Hybrid) Bicycle

Manufacturer: **KOCCAК** (Russian-built, imported by Sibex Bicycles)

Model: ЧИОЗКП

Weight: 20.7 Pounds

Frame:

Model: 2002 KOCCAК

Style: Men's Hardtail Cyclocross (Hybrid) Bicycle

Size: 20 inches

Tubing Diameter and Material: 0.71 to 1.49 inch 5/2 titanium

Dimensions (inches):

Overall Length	68.00
Wheel Base	40.00
Seat Tube Length	20.00
Top Tube Length	21.50
Top Tube Height	32.00
Down Tube Length	25.00
Bottom Bracket (Center of Crank) Height	11.50
Head Tube Length	4.50
Chain Stay Length	16.50
Seat Stay Length	20.00
Hub Height	14.00
Seat Height	39.00
Stem (Handlebar) Height	38.00
Stem Extension	4.00
Lever Height	36.00
Pedal Height (High)	19.00
Pedal Height (Low)	4.50

Forks:

Manufacturer: KOCCAK

Type: **Rigid** Suspension

Diameter and Material: 1.00 inch titanium

Blade condition: No visible damage

Column condition: No visible damage

Rear Suspension: None

Tubing Condition:

Overall: Good

Right Fork Blade: Good

Left Fork Blade: Good

Fork Column: Good

Head Tube: Good

Top Tube: Good

Down Tube: Good

Seat Tube: Good

Right Chain Stay: Lightly chipped

Left Chain Stay: Lightly chipped

Right Seat Stay: Good

Left Seat Stay: Good

Steering:

Stem: Ritchey WCS

Condition: **New** Good Poor Rusted/Corroded Chipped

Handlebar: Ritchey 7075 Drop Bars (Ram's Horns)

Width: 19 inches

Condition: **New** Good Poor Rusted/Corroded Chipped

Head Set: American Classic Cartridge System

Condition: **New** Good Poor Rusted/Corroded Chipped

Handlebar Grips: rubber

Condition: **New** Good Poor Lightly Torn Frayed

Saddle:

Manufacturer and Model: Selle Italia Flite Genuine Gel

Condition: **New** **Good** Poor Lightly Torn

Post:

Manufacturer and Model: Unknown aluminum

Condition: **New** **Good** Poor Rusted/Corroded Chipped

Brakes:

Front Lever: Froglegs
Condition: Good

Rear Lever: Froglegs
Condition: Good

Front Brake: Avid

Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") **Disc**
Condition: Good

Rear Brake: Avid

Cable Hydraulic
Cantilever Parallel-Push Cantilever ("V") **Disc**
Condition: Good

Cables/Hoses: Unknown manufacturer
Condition: Good

Wheels:

Front Hub: HüGI 240 DT with Q-Stix quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Spokes: Stainless steel, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Rim: Mavic Open Pro 622 x 15
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Tire: Michelin Cyclo Cross Sprint 700 x 30C (28 x 5/8 x 1/8)
Condition: 1/32" center tread depth

Front Tube: Not inspected
Condition: Inflated

Rear Hub: HüGI 240 DT with Q-Stix quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Spokes: Stainless steel, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Rim: Mavic Open Pro 622 x 15
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Tire: Michelin Cyclo Cross Sprint 700 x 30C (28 x 5/8 x 1/8)
Condition: < 1/32" center tread depth

Rear Tube: Not inspected
Condition: Inflated

Derailleurs:

Shifters: Shimano Ultegra Flight Deck
Condition: New **Good** Poor Rusted/Corroded Chipped

Cable: Unknown manufacturer
Condition: New **Good** Poor Rusted/Corroded Chipped

Front: Shimano Ultegra
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear: Shimano Ultegra
Condition: New **Good** Poor Rusted/Corroded Chipped

Drive Train:

Crank Set (Front Sprocket): FSA (22-34-46)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Crank Arm: FSA
Condition: New **Good** Poor Rusted/Corroded Chipped

Right Pedal: Crank Brothers Eggbeaters
Condition: New Good Poor Rusted/Corroded **Scraped**

Left Pedal: Crank Brothers Eggbeaters
Condition: New Good Poor Rusted/Corroded **Scraped**

Free Wheel (Rear Sprocket): Shimano HG (12-13-14-15-17-18-21-24-27)
Condition: New Good Poor Rusted/Corroded **Chipped teeth**

Chain: Shimano HG
Condition: New **Good** Poor Rusted/Corroded Scraped
Position: On-teeth

Additional Equipment: Aireon Computer

Notes: Very good condition.

Bicycle Inspection Sheet

Inspection Date: 29 October 2002

Bicycle:

Type: 27 Speed Men's Full Suspension Cross-Country Mountain Bicycle

Manufacturer: Specialized

Model: S-Works FSR XC

Weight: 25.1 Pounds

Frame:

Model: 2000 Specialized M4

Style: Men's XC (Cross-Country) Mountain Bicycle

Size: XL (19 inches)

Tubing Diameter and Material: 0.70 to 1.90 inch aluminum alloy

Dimensions (inches):

Overall Length	69.50
Wheel Base	43.50
Seat Tube Length	19.25
Top Tube Length	14.00
Top Tube Height	34.00
Down Tube Length	25.00
Bottom Bracket (Center of Crank) Height	12.25
Head Tube Length	7.00
Chain Stay Length	13.00
Seat Stay Length	15.00
Hub Height	13.00
Seat Height	41.00
Stem (Handlebar) Height	39.50
Stem Extension	5.00
Lever Height	37.00
Pedal Height (High)	20.50
Pedal Height (Low)	7.50

Forks:

Manufacturer: Manitou Mars CL with lockout
Type: Rigid **Suspension**

Diameter and Material: 1.33 inch carbon & aluminum
Blade condition: No visible damage
Column condition: No visible damage

Rear Suspension:

Linkage: Emro (replacement)
Condition: New **Good** Poor Rusted/Corroded Chipped

Shock: Fox Float RC with lockout
Condition: New **Good** Poor Rusted/Corroded Chipped

Tubing Condition:

Overall: Good
Right Fork Blade: Lightly chipped
Left Fork Blade: Lightly chipped
Fork Column: Good
Head Tube: Good
Top Tube: Good
Down Tube: Lightly chipped
Seat Tube: Good
Right Chain Stay: Lightly chipped
Left Chain Stay: Lightly chipped
Right Seat Stay: Good
Left Seat Stay: Good

Steering:

Stem: Specialized
Condition: New **Good** Poor Rusted/Corroded Chipped

Handlebar: Specialized Wide Boy 2014
Width: 26.25 inches
Condition: New **Good** Poor Rusted/Corroded Chipped

Head Set: Specialized
Condition: New **Good** Poor Rusted/Corroded Chipped

Handlebar Grips: Specialized rubber
Condition: New Good Poor **Lightly Torn** Frayed

Saddle:

Manufacturer and Model: Titec Velo 305

Condition: New Good Poor **Lightly Torn**

Post:

Manufacturer and Model: Thompson Elite aluminum with quick-release clamp

Condition: New **Good** Poor Rusted/Corroded Chipped

Brakes:

Front Lever: Shimano XTR

Condition: Slightly scraped

Rear Lever: Shimano XTR

Condition: Slightly scraped

Front Brake: Shimano XTR

Cable Hydraulic

Cantilever **Parallel-Push Cantilever ("V")** Disc

Condition: Good

Rear Brake: Shimano XTR

Cable Hydraulic

Cantilever **Parallel-Push Cantilever ("V")** Disc

Condition: Good

Cables/Hoses: Unknown manufacturer

Condition: Good

Wheels:

Front Hub: Specialized quick-release

Condition: New **Good** Poor Rusted/Corroded Chipped

Front Spokes: black anodized, 2 mm straight gauge

Condition: New **Good** Poor Rusted/Corroded Chipped

Front Rim: Mavic X517

Condition: New **Good** Poor Rusted/Corroded Chipped

Front Tire: Team Specialized Dirt Control 26 x 1.90

Condition: 1/8" center tread depth

Front Tube: Not inspected

Condition: Inflated

Rear Hub: Specialized quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Spokes: black anodized, 2 mm straight gauge
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Rim: Mavic X517
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Tire: IRC Mythos XC 26 x 2.10 (replacement)
Condition: 3/16" center tread depth

Rear Tube: Not inspected
Condition: Inflated

Derailleurs:

Shifters: Shimano Deore XT
Condition: New **Good** Poor Rusted/Corroded Chipped

Cable: Unknown manufacturer
Condition: New **Good** Poor Rusted/Corroded Chipped

Front: Shimano Deore XT
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear: Shimano XTR
Condition: New **Good** Poor Rusted/Corroded Chipped

Drive Train:

Crank Set (Front Sprocket): Specialized (22-32-44)
Condition: New Good Poor Rusted/Corroded **Chipped teeth**

Crank Arm: Specialized S-Works Strongarm II
Condition: New **Good** Poor Rusted/Corroded Chipped

Right Pedal: Specialized clipless
Condition: New Good Poor Rusted/Corroded **Scraped**

Left Pedal: Specialized clipless
Condition: New Good Poor Rusted/Corroded **Scraped**

Free Wheel (Rear Sprocket): Shimano XT CS-M750 (11-12-14-16-18-21-24-28-32)
Condition: New Good **Poor** Rusted/Corroded **Chipped teeth**

Chain: Shimano HG

Condition: New Good **Poor** Rusted/Corroded **Scraped**

Position: On-teeth

Additional Equipment: Topeak Lighting Wedge tool bag & kit

Notes: Good condition for a much-traveled mountain bicycle.

Bicycle Inspection Sheet

Inspection Date: 12 January 2003

Bicycle:

Type: 24 Speed Men's Full Suspension Cross-Country Mountain Bicycle

Manufacturer: Univega

Model: Dual Action Pro

Weight: 25.8 Pounds

Frame:

Model: 1996 Dual Action Pro

Style: Men's XC (Cross-Country) Mountain Bicycle

Size: 20.5 inches

Tubing Diameter and Material: 0.75 to 1.74 inch aluminum alloy AL2 7005 double-buttet

Dimensions (inches):

Overall Length	69.00
Wheel Base	43.00
Seat Tube Length	20.50
Top Tube Length	23.00
Top Tube Height	32.50
Down Tube Length	25.50
Bottom Bracket (Center of Crank) Height	12.25
Head Tube Length	6.00
Chain Stay Length	16.50
Seat Stay Length	20.25
Hub Height	13.00
Seat Height: Seat Height	43.00
Stem (Handlebar) Height	38.50
Stem Extension Stem Extension	4.50
Lever Height	37.50
Pedal Height (High)	19.75
Pedal Height (Low)	5.75

Forks:

Manufacturer: Rock Shox Judy SL – suspension fork
Type: Rigid **Suspension**

Diameter and Material: 1.33 inch aluminum
Blade condition: No visible damage
Column condition: No visible damage

Rear Suspension:

Linkage: Stock
Condition: New **Good** Poor Rusted/Corroded Chipped

Shock: Fox Float R
Condition: New **Good** Poor Rusted/Corroded Chipped

Tubing Condition:

Overall: Good
Right Fork Blade: Good
Left Fork Blade: Good
Fork Column: Good
Head Tube: Good
Top Tube: Good
Down Tube: Good
Seat Tube: Good
Right Chain Stay: Lightly chipped
Left Chain Stay: Good
Right Seat Stay: Good
Left Seat Stay: Good

Steering:

Stem: Kore
Condition: New **Good** Poor Rusted/Corroded Chipped

Handlebar: Titec
Width: 21.8 inches
Condition: New **Good** Poor Rusted/Corroded Chipped

Head Set: Chris King
Condition: New **Good** Poor Rusted/Corroded Chipped

Handlebar Grips: Grip Shift
Condition: New **Good** Poor Lightly Torn Frayed

Saddle:

Manufacturer and Model: Vetta SP Trishock
Condition: New Good Poor **Lightly Torn**

Post:

Manufacturer and Model: Control Tech, aluminum with quick-release clamp
Condition: New **Good** Poor Rusted/Corroded Chipped

Brakes:

Front Lever: Shimano XT
Condition: good

Rear Lever: Shimano XT
Condition: good

Front Brake: Shimano XTR
Cable Hydraulic
Cantilever **Parallel-Push Cantilever ("V")** Disc
Condition: Good

Rear Brake: Shimano XTR
Cable Hydraulic
Cantilever **Parallel-Push Cantilever ("V")** Disc
Condition: Good

Cables/Hoses: Unknown manufacturer
Condition: Good

Wheels:

Front Hub: White Industries quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Spokes: 2mm straight gauge stainless steel
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Rim: Mavic 217
Condition: New **Good** Poor Rusted/Corroded Chipped

Front Tire: Panaracer Fire XC Pro 26 x 2.10 Front
Condition: 1/8" center tread depth

Front Tube: Not inspected
Condition: Inflated

Rear Hub: White Industries quick-release
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Spokes: 2mm straight gauge stainless steel
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Rim: Mavic 217
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear Tire: Panaracer Fire XC Pro 26 x 2.10 Rear
Condition: 3/32" center tread depth

Rear Tube: Not inspected
Condition: Inflated

Derailleurs:

Shifters: Grip Shift
Condition: New **Good** Poor Rusted/Corroded Chipped

Cable: Unknown manufacturer
Condition: New **Good** Poor Rusted/Corroded Chipped

Front: Shimano Deore LX
Condition: New **Good** Poor Rusted/Corroded Chipped

Rear: Shimano XT
Condition: New **Good** Poor Rusted/Corroded Chipped

Drive Train:

Crank Set (Front Sprocket): Shimano Hyperdrive-C LX 5820B (20-32-42)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Crank Arm: Shimano LX
Condition: New **Good** Poor Rusted/Corroded Chipped

Right Pedal: Shimano PD M74 clipless
Condition: New Good Poor Rusted/Corroded **Scraped**

Left Pedal: Shimano PD M74 clipless
Condition: New Good Poor Rusted/Corroded **Scraped**

Free Wheel (Rear Sprocket): Shimano (11-12-14-16-18-21-24-28)
Condition: New **Good** Poor Rusted/Corroded Chipped teeth

Chain: Sachs

Condition: New **Good** Poor Rusted/Corroded Scraped

Position: On-teeth

Notes: Good condition for a much-traveled mountain bicycle.